



报告编号: ZCCIT20260102M314

第 1 页 共 4 页



非限制性
Not subject to these Regulations

海运运输条件鉴别报告书

Identification and Classification Report

For Sea Transport of Goods

本报告本年度有效
有效期至2026年12月31日

样品名称: 铅酸蓄电池

Sample Name: Lead Acid Battery

合肥万达蓄电池有限责任公司

委托单位:

Hefei Wanda Storage Battery Co.Ltd.

合肥万达蓄电池有限责任公司

生产单位:

Hefei Wanda Storage Battery Co.Ltd.

深圳市中创检测技术有限公司

Shenzhen ZCCIT Testing Technology Co., LTD



扫码 查询

地址: 广东省深圳市宝安区福海街道新和社区工业南路18号惠联工业区3层

Add: Floor3, Huilian Industrial Zone, No. 18, Xinhe Community Industrial South Road, Fuhai Street, Bao'an District, Shenzhen, Guangdong

T: 0755-27551325

E: cunwang163@gmail.com

W: Http://www.zctscine.com



样品名称 Sample Name	中文 Chinese	铅酸蓄电池	
	英文 English	Lead Acid Battery	
型号 Model	6-QW-60, 6-QW-90, 6-DG-135, 6-QW-93, 6-QW-105, 6-EVF-65, D-210, D-500,6-QWLZ-60 55D26RX, 6-QWLZ-70 80D26RX		
生产单位 Manufacturer	合肥万达蓄电池有限责任公司 Hefei Wanda Storage Battery Co.Ltd.		
生产单位地址 Manufacturer's address	安徽省合肥市长丰县双凤开发区凤锦路5号 No. 5, Fengjin Road, Shuangfeng Development Zone, Changfeng County, Hefei, Anhui Province		
检验方法、程序 Inspection Methods and Procedures	国际海事组织《国际海运危险货物规则》(2022 版) IMO International Maritime Dangerous Goods Code(2022 Edition)		
样品外观与气味 Appearance&Odor	多种颜色塑胶外壳, 无臭 Multicolor Plastics cement shell,Odorless		
IDENTIFICATION CONCLUSION	结论	1. 危险性识别(Hazards identification) 无。 None.	
		2. 海运按照IMO IMDG Code 办理的类项(Suggestion according to IMO IMDG Code) 根据特殊规定 238, 可按非限制性货物条件办理。 The product is not subject to IMO IMDG Code according to special provision 238.	
		3. 包装类别(Packing Group) 无。 None.	
		检验日期: Inspection Date: 2025-12-25	签发日期: Issue Date: 2026-01-02
			生效日期: Effective Date: 2026-01-02
备注 Comment	/		



批准 骆杰
Approver:

审核 李青
Checker:

主检 赖桂文
Appraiser:



序号 NO	检验项目名称 Name of Test Items	标准要求或标准条款号 Standard requirement or The Clause Number of Standard	检测结果 Test Result	本项结论 Conclusion	备注 Remark
1	振动试验 Vibration test	联合国《关于危险货物运输的建议书规章范本》3.3 章特殊规定 238(a) UNITED NATIONS Recommendations on the TRANSPORT OF DANGEROUS GOODS Model Regulations Chapter 3.3 SPECIAL PROVISIONS 238(a)	合格。 Passed.	合格。 Passed.	/
2	压差试验 Pressure differential test	联合国《关于危险货物运输的建议书规章范本》3.3 章特殊规定 238(a) UNITED NATIONS Recommendations on the TRANSPORT OF DANGEROUS GOODS Model Regulations Chapter 3.3 SPECIAL PROVISIONS 238(a)	合格。 Passed.	合格。 Passed.	/
3	55°C漏液试验 Leakage test at 55°C	联合国《关于危险货物运输的建议书规章范本》3.3 章特殊规定 238(b) UNITED NATIONS Recommendations on the TRANSPORT OF DANGEROUS GOODS Model Regulations Chapter 3.3 SPECIAL PROVISIONS 238(b)	合格。 Passed.	合格。 Passed.	/
	备注 Comment	电池必须具有适当的防短路措施, 若是以电池为动力的装置、设备或车辆还须采取有效的防止意外启动措施。The battery must be protected appropriately to prevent a short circuits and any battery powered device, equipment or vehicle must be effectively prepared to prevent unintentional activation.			



样品图片
Sample photos



有限公司

报告结束
End of Report